

FOREWORD

To all authors, reviewers, and readers, We are pleased to announce that the Scopus Content Selection & Advisory Board (CSAB) has completed its review of Journal RESTI. The journal has been accepted for inclusion in Scopus from Volume 9, No. 2, April (2025). This recognition is a clear testament to the journal's commitment to excellence and its impact on the field. We are grateful to the editors, reviewers, authors, and all stakeholders whose dedication and contributions have been instrumental in maintaining the journal's standards and quality. At the time of the periodical, the indexing process in the Scopus database was underway for articles published starting in 2021. Your manuscripts published since that year truly deserve recognition and praise for their quality and impact.

This issue proudly features 25 scholarly articles from 27 distinguished institutions in Indonesia and one from Australia. The authors acknowledge with immense gratitude the indispensable role our peer reviewers and the editorial team played. Their rigorous efforts to evaluate the quality of submitted manuscripts ensure that we maintain the high academic standards RESTI Journal has become known for.

The editors thank all the researchers who have chosen the RESTI Journal as the platform to spread the fruits of their labor. Your contributions enrich our publication and the broader scientific community, particularly in the ever-evolving field of information technology. Although we celebrate our achievements, we acknowledge that the journey to becoming a leading journal is ongoing. We invite and value your constructive criticism and suggestions, as they allow us to enhance the quality and reach of the RESTI Journal even further.

Thank you for your continued support and readership. May the articles in this and future volumes serve as invaluable resources contributing to the ever-expanding scientific and technical knowledge corpus.



Editor in Chief
Dr. Ir. Yuhefizar, S.Kom., M.Kom., IPM

EDITORIAL TEAM

EDITOR IN CHIEF

Yuhefizar Politeknik Negeri Padang, Indonesia

MANAGING EDITOR

Ronal Watrianthos Politeknik Negeri Padang, Indonesia

Rita Komalasari Politeknik LP31, Indonesia

Budi Sunaryo Universitas Bung Hatta, Indonesia

ASSOCIATE EDITORS

Ikhwan Arief Ambassador to Indonesia – Directory of Open Access Journals , Roskilde, Denmark

Dini Oktarina Dwi Handayani International Islamic University Malaysia, Malaysia

Windu Gata Universitas Nusa Mandiri, Indonesia

Shoffan Saifullah AGH University of Krakow, Poland

Teddy Mantoro Universitas Nusa Putra, Indonesia

EDITORIAL BOARD MEMBERS

Media Anugerah Ayu Sampoerna University, Indonesia

Zairi Ismael Rizman Universiti Teknologi MARA, Shah Alam, Malaysia

Diki Arisandi Universitas Muhammadiyah Riau, Indonesia

Hendrick Politeknik Negeri Padang, Indonesia

Tri Apriyanto Sundara Universiti Kebangsaan Malaysia, Malaysia

Yance Sonatha Politeknik Negeri Padang, Indonesia

Mohd Helmy Abd Wahab Universiti Tun Hussein Onn, Malaysia

Madjid Eshaghi Gordji Semnan University, Iran

Shipra Shivkumar Yadav RTM Nagpur University, India

Roheen Qamar Quaid-e-Awam University of Engineering, Nawabshah, Pakistan

Hari M. Srivastava University of Victoria, Canada

Sasalak Tongkaw Songkhla Rajabhat University, Thailand

Ambrose Agbon Azeta Namibia University of Science and Technology, Namibia

Wasswa Shafik Dig Connectivity Research Laboratory, Health, Ecology and Technology Research, Uganda

Haydar Abdulameer Marhoon Al-Ayen Iraqi University, AUIQ, An Nasiriyah, Iraq

Yeshe Jamtsho Royal University of Bhutan, Thimphu, Bhutan

Mutaz Rasmi Abu Sara Palestine Ahliya University, Bethlehem, Palestine

Arif Bramantoro Universiti Teknologi Brunei, Gadong, Brunei Darussalam

Basanta Joshi Institute of Engineering Pulchowk, Kathmandu, Nepal

Nayma Cepero-Pérez Universidad Tecnológica de la Habana José Antonio Echeverría, Cuba

Neema Mduma Nelson Mandela African Institution of Science and Technology, Arusha, Tanzania

Haruna Jallow The Pan African University Institute for Basic Sciences, Technology and Innovation (PAUSTI), Nairobi, Kenya

Christian Utama Freie Universität Berlin, Berlin, Germany

Inés López-Baldominos Universidad de Alcalá, Alcala de Henares, Spain

Dafina Hyka Polytechnic University of Tirana, Tirana, Albania

TECHNICAL SUPPORT AND COPY EDITOR

Roni Putra Politeknik Negeri Padang, Indonesia

Gilang Surendra Politeknik Negeri Padang, Indonesia

Assigned Reviewers

Ahmad Fathan Hidayatullah, Scopus ID: 57188832335, Universitas Islam Indonesia, Yogyakarta, Indonesia
Aldy Rialdy Atmadja, Scopus ID: 57189266962, UIN Sunan Gunung Djati Bandung, Bandung, Indonesia
Alfry Aristo J Sinlae, Scopus ID: 57214449083, Universitas Katolik Widya Mandira, Kupang, Indonesia
Ali Ibrahim, Scopus ID: 57203129436, Universitas Sriwijaya, Palembang, Indonesia
Anggy Trisnadoli, Scopus ID: 57188572568, Politeknik Caltex Riau, Pekanbaru, Indonesia
Anita Sindar RMS, Scopus ID: 57193870569, STMIK Pelita Nusantara, Medan, Indonesia
Bernad Jumadi Dehotman Sitompul, Scopus ID: 57210235620, Universitas Sam Ratulangi, Manado, Indonesia
Cahyo Darujati, Scopus ID: 56027926800, Narotama University, Surabaya, Indonesia
Dhanar Intan Surya Saputra, Scopus ID: 57193156799, Universitas Amikom Purwokerto, Purwokerto, Indonesia
Dian Ade Kurnia, Scopus ID: 57205059723, STMIK IKMI Cirebon, Indonesia
Dudih Gustian, Scopus ID: 57203143861, Universitas Nusa Putra, Sukabumi, Indonesia
Emi Iryanti, Scopus ID: 56180890000, Institut Teknologi Telkom Purwokerto, Purwokerto, Indonesia
Firman Tempola, Scopus ID: 57203059112, Universitas Khairun, Ternate, Indonesia
Hairani, Scopus ID: 57215535432, Universitas Bumigora, Mataram, Indonesia
Joko Kuswanto, ID Scopus: 57222344151, Universitas Baturaja, Baturaja, Indonesia
Khairan Marzuki, Scopus ID: 57280266600, Universitas Bumigora, Mataram, Indonesia
Linda Perdana Wanti, Scopus ID: 57214722091, Politeknik Negeri Cilacap, Cilacap, Indonesia
Melda Agnes Manuhutu, Scopus ID: 55973357500, Universitas Victory Sorong, Sorong, Indonesia
Muhammad Johan Alibasa, Scopus ID: 57201859953, Telkom University, Bandung, Indonesia
Muhammad Said Hasibuan, Scopus ID: 57191927671, Institut Informatika dan Bisnis Darmajaya, Lampung, Indonesia
Nur Widiyasono, Scopus ID: 57192157716, Universitas Siliwangi, Tasikmalaya, Indonesia
Oman Somantri, Scopus ID: 57208898676, Politeknik Negeri Cilacap, Cilacap, Indonesia
Prawidya Destarianto, Scopus ID: 57201194515, Politeknik Negeri Jember, Jember, Indonesia
Roheen Qamar, Scopus ID: 57991262900, Quaid-e-Awam University of Engineering, Science, and Technology (QUEST) Nawabshah, Pakistan
Rully Pramudita, Scopus ID: 57215524670, Univ. Bina Insani, Bekasi, Indonesia
Solikhun, Scopus ID: 57211272339, STIKOM Tunas Bangsa, Pematang Siantar, Indonesia
Sri Hadiani, Scopus ID: 57215526609, Universitas Nusa Mandiri, Jakarta, Indonesia
Sri Restu Ningsih, Scopus ID: 57202279477, Universitas Metamedia, Padang, Indonesia
Suhardi Aras, Scopus ID: Universitas Muhammadiyah Sorong, Papua, Indonesia
Yaya Sudarya Triana, Scopus ID: 57195103953, Universitas Mercu Buana, Jakarta, Indonesia

Table of Contents

Volume 9 No. 2 (2025-April)

Published: 2025-03-07

Comparative Analysis of Machine Learning Algorithms for Predicting Patient Admission in Emergency Departments Using EHR Data

Ahmad Abdul Chamid, Ratih Nindyasari, Muhammad Imam Ghozali

<https://doi.org/10.29207/resti.v9i2.6188>

185-194

Abstract:

Every patient who is rushed to the Emergency Department needs fast treatment to determine whether the patient should be inpatient or outpatient. However, the existing fact is that deciding whether an inpatient or outpatient must wait for the diagnosis made by the existing doctor, so if there are many patients, it generally takes quite a long time. So, to predict patient admissions to the emergency unit, a machine learning model that can be fast and accurate is needed. Therefore, this study developed a machine learning and neural network model to determine patient care in Emergency Departments. This study uses publicly available electronic health record (EHR) data, which is 3,309. The model development process uses machine learning methods (SVM, Decision Tree, KNN, AdaBoost, MLPClassifier) and neural networks. The model that has been obtained is then evaluated for its performance using a confusion matrix and several matrices such as accuracy, precision, recall, and F1-Score. The results of the model performance evaluation were compared, and the best model was obtained, namely the MLPClassifier model with an accuracy value = 0.736 and an F1-Score value = 0.635, and the Neural Network model obtained an accuracy value = 0.724 and an F1-Score value = 0.640. The best models obtained in this study, namely the MLPClassifier and Neural Network models, were proven to be able to outperform other models.

An In-depth Exploration of Sentiment Analysis on Hasanuddin Airport using Machine Learning Approaches

Lilis Nur Hayati, Fitrah Yusti Randana, Herdianti Darwis

<https://doi.org/10.29207/resti.v9i2.6253>

195-208

Abstract:

Machine learning-based sentiment analysis has become essential for understanding public perceptions of public services, including air transportation. Sultan Hasanuddin Airport, one of the main gateways in eastern Indonesia, faces the challenge of improving services amid changing user needs due to the COVID-19 pandemic. This study aims to compare the effectiveness of three machine learning algorithms-Support Vector Machine (SVM), Naive Bayes Multinomial, and K-Nearest Neighbor (KNN)-in analyzing the sentiment of user reviews related to airport services. The research also explores data splitting techniques, text preprocessing, data balancing using SMOTE, model validation, and method parameterization to ensure optimal results. The review data was retrieved from Google Maps (2021-2024) and underwent manual labelling. Text preprocessing includes normalization, stemming using Sastrawi, and stopword removal. The data-balancing technique uses SMOTE, while model evaluation is done with stratified k-fold cross-validation. SVM with a linear kernel showed the best performance, achieving an F1-score of 98.4%. Naive Bayes performed optimally, achieving an F1-score of 93.9%, while KNN recorded the best F1-score of 92.0%. SMOTE was shown to improve Naive Bayes' performance on unbalanced datasets, although it did not significantly impact SVM. The findings of this study provide data-driven recommendations to improve services at Sultan Hasanuddin Airport, such as the management of cleaning facilities, waiting room comfort, and passenger flow efficiency. In addition, this research opens up opportunities for developing real-time sentiment analysis systems that can be applied in other air transportation sectors.

Feature Selection Using Pearson Correlation for Ultra-Wideband Ranging Classification

Gita Indah Hapsari, Rendy Munadi, Bayu Erfianto, Indrarini Dyah Irawati

<https://doi.org/10.29207/resti.v9i2.6281>

209-217

Abstract:

Indoor positioning plays a crucial role in various applications, including smart homes, healthcare, robotics, and asset tracking. However, achieving high positioning accuracy in indoor environments remains a significant challenge due to obstacles that introduce NLOS conditions and multipath effects. These conditions cause signal attenuation, reflection, and interference, leading to decreased localization precision. This research addresses these challenges by optimizing feature selection LOS, NLOS, and multipath classification within Ultra-Wideband (UWB) ranging systems. A systematic feature selection approach based on Pearson correlation is employed to identify the most relevant features from an open-source dataset, ensuring efficient classification while minimizing computational complexity. The selected features are used to train multiple machine-learning classifiers, including Random Forest, Ridge Classifier, Gradient Boosting, K-Nearest Neighbor, and Logistic Regression. Experimental results demonstrate that the proposed feature selection method significantly reduces model training and testing times without compromising accuracy. The Random Forest and Gradient Boosting models exhibit superior performance, maintaining classification accuracy above 90%. The reduction in computational overhead makes the proposed approach highly suitable for real-time applications, particularly in edge-computing environments where processing efficiency is critical. These findings highlight the effectiveness of Pearson correlation-based feature selection in improving UWB-based indoor positioning systems. The optimized feature set facilitates robust LOS, NLOS, and multipath classification while reducing resource consumption, making it a promising solution for scalable and real-time indoor localization applications.

Application of Formal Concept Analysis and Clustering Algorithms to Analyze Customer Segments

I Gede Bintang Arya Budaya, I Komang Dharmendra, Evi Triandini

<https://doi.org/10.29207/resti.v9i2.6184>

218-224

Abstract:

Business development cannot be separated from relationships with customers. Understanding customer characteristics is important both for maintaining sales and even for targeting new customers with appropriate strategies. The complexity of customer data makes manual analysis of the customer segments difficult, so applying machine learning to segment the customer can be the solution. This research implements K-Means and GMM algorithms for performing clustering based on the Transaction data transformed to the Recency, Frequency, and Monetary (RFM) data model, then implements Formal Concept Analysis (FCA) as an approach to analyzing the customer segment after the class labeling. Both K-Means and GMM algorithms recommended the optimal number of clusters as the customer segment is four. The FCA implementation

in this study further analyzes customer segment characteristics by constructing a concept lattice that categorizes segments using combinations of High and Low values across the RFM attributes based on the median values, which are High Recency (HR), Low Recency (LR), High Frequency (HF), Low Frequency (LF), High Monetary (HM), and Low Monetary (LM). This characteristic can determine the customer category; for example, a customer that has HM and HR can be considered a loyal customer and can be the target for a specific marketing program. Overall, this study demonstrates that using the RFM data model, combined with clustering algorithms and FCA, is a potential approach for understanding MSME customer segment behavior. However, special consideration is necessary when determining the FCA concept lattice, as it forms the foundation of the core analytical insights.

Comparison of Sugarcane Drought Stress Based on Climatology Data using Machine Learning Regression Model in East Java

Aries Suharso, Yeni Herdiyeni, Suria Darma Tarigan, Yandra Arkeman

<https://doi.org/10.29207/resti.v9i2.6159>

225-238

Abstract:

Crop Water Stress Index (CWSI), derived from vegetation features (NDVI) and canopy thermal temperature (LST), is an effective method to evaluate sugarcane sensitivity to drought using satellite data. However, obtaining CWSI values is complicated. This study introduces a novel approach to estimate CWSI using climatological data, including average air temperature, humidity, rainfall, sunshine duration, and wind speed features obtained from the local weather station BMKG Malang City, East Java, for the period 2021-2023. Before estimating CWSI, we analyzed sugarcane water stress phenology, examined the strength of the correlation between climatological features and CWSI, and looked at the potential for adding lag features. Our proposed prediction model uses climatological features with additional Lag features in a machine learning regression approach and 5-fold cross-validation of the training-testing data split with the help of optimization using hyperparameters. Different machine learning regression models are implemented and compared. The evaluation results showed that the prediction performance of the SVR model achieved the best accuracy with $R^2 = 90.45\%$ and $MAPE = 9.55\%$, which outperformed other models. These findings indicate that climatological features with lag effects can effectively predict water stress conditions in rainfed sugarcane if using an appropriate prediction model. The main contribution of this study is the utilization of local climatological data, which is easier to obtain and collect than sophisticated satellite data, to estimate CWSI. The application of the results shows that climatological data with lag effects can accurately estimate water stress conditions in rainfed sugarcane. In drought-prone areas, this strategy can help sugarcane farmers make better choices about land management and irrigation.

Detecting Alzheimer's Based on MRI Medical Images by Using External Attention Transformer

Farrel Ardannur Deswanto, Isman Kurniawan

<https://doi.org/10.29207/resti.v9i2.6257>

239-249

Abstract:

Alzheimer's disease is one of the major challenges in medical care this century, affecting millions of people worldwide. Alzheimer's damages neurons and connections in brain areas responsible for memory, language, reasoning, and social behavior. Early detection of this disease enables more effective treatment and proper care planning. Unfortunately, the traditional method of detecting Alzheimer's has several limitations, such as subjective analysis and delayed diagnosis. One commonly used method is visual inspection, which uses magnetic resonance imaging (MRI). The limitations of visual inspection include subjectivity and its time-consuming nature, especially with large or complex MRI datasets, making accurate interpretation a significant challenge. Therefore, an alternative for detecting Alzheimer's disease is to use deep learning-based MRI image analysis. One promising approach is to implement the External Attention Transformer (EAT) model. It enhances image classification by using two shared external memories and an attention mechanism that filters out redundant information for improved performance and efficiency. The aim of this research is to evaluate and compare the performance of the baseline Convolutional Neural Network (CNN) model, the Vision Transformer (ViT) model, and the EAT model in detecting Alzheimer's using a dataset of 6400 brain MRI images. The EAT model outperforms the baseline CNN model and ViT model in detecting Alzheimer's, achieving its best results with an accuracy of 0.965 and an F1-score of 0.747 for the test data. Our results could be integrated with clinical analysis to assist in the faster diagnosis of Alzheimer's.

Comparing Word Representation BERT and RoBERTa in Keyphrase Extraction using TgGAT

Novi Yusliani, Aini Nabilah, Muhammad Raihan Habibullah, Annisa Darmawahyuni, Ghita Athalina

<https://doi.org/10.29207/resti.v9i2.6279>

250-257

Abstract:

In this digital era, accessing vast amounts of information from websites and academic papers has become easier. However, efficiently locating relevant content remains challenging due to the overwhelming volume of data. Keyphrase Extraction Systems automate the process of generating phrases that accurately represent a document's main topics. These systems are crucial for supporting various natural language processing tasks, such as text summarization, information retrieval, and representation. The traditional method of manually selecting key phrases is still common but often proves inefficient and inconsistent in summarizing the main ideas of a document. This study introduces an approach that integrates pre-trained language models, BERT and RoBERTa, with Topic-Guided Graph Attention Networks (TgGAT) to enhance keyphrase extraction. TgGAT strengthens the extraction process by combining topic modelling with graph-based structures, providing a more structured and context-aware representation of a document's key topics. By leveraging the strengths of both graph-based and transformer-based models, this research proposes a framework that improves keyphrase extraction performance. This is the first to apply graph-based and PLM methods for keyphrase extraction in the Indonesian language. The results revealed that BERT outperformed RoBERTa, with precision, recall, and F1-scores of 0.058, 0.070, and 0.062, respectively, compared to RoBERTa's 0.026, 0.030, and 0.027. The result shows that BERT with TgGAT obtained more representative keyphrases than RoBERTa with TgGAT. These findings underline the benefits of integrating graph-based approaches with pre-trained models for capturing both semantic relationships and topic relevance.

Hand Sign Recognition of Indonesian Sign Language System SIBI Using Inception V3 Image Embedding and Random Forest

Mayang Sari, Eko Rudiawan Jamzuri

<https://doi.org/10.29207/resti.v9i2.6156>

258-265

Abstract:

This paper presents a sign language recognition system for the Indonesian Sign Language System SIBI using image embeddings combined with a Random Forest classifier. A dataset comprising 5280 images across 24 classes of SIBI alphabet symbols was utilized. Image features were

extracted using the Inception V3 image embedding, and classification was performed using Random Forest algorithms. Model evaluation conducted through K-Fold cross-validation demonstrated that the proposed model achieved an accuracy of 59.00%, an F1-Score of 58.80%, a precision of 58.80%, and a recall of 59.00%. While the performance indicates room for improvement, this study lays the groundwork for enhancing sign language recognition systems to support the preservation and broader adoption of SIBI in Indonesia.

Optimizing Multilayer Perceptron for Car Purchase Prediction with GridSearch and Optuna

Ginanti Riski, Dedy Hartama, Solikhun

<https://doi.org/10.29207/resti.v9i2.6328>

266-275

Abstract:

Multilayer Perceptron (MLP) is a powerful machine learning algorithm capable of modeling complex, non-linear relationships, making it suitable for predicting car purchasing power. However, its performance depends on hyperparameter tuning and data quality. This study optimizes MLP performance using GridSearch and Optuna for hyperparameter tuning while addressing data imbalance with the Synthetic Minority Over-sampling Technique (SMOTE). The dataset comprises demographic and financial attributes influencing car purchasing power. Initially, the dataset exhibited class imbalance, which could lead to biased predictions; SMOTE was applied to generate synthetic samples, ensuring a balanced class distribution. Two hyperparameter tuning approaches were implemented: GridSearch, which systematically explores a predefined parameter grid, and Optuna, an adaptive optimization framework utilizing a Bayesian approach. The results show that Optuna achieved the highest accuracy of 95.00% using the Adam optimizer, whereas GridSearch obtained the best accuracy of 94.17% with the RMSProp optimizer, demonstrating Optuna's superior ability to identify optimal hyperparameters. Additionally, SMOTE significantly improved model stability and predictive performance by ensuring adequate class representation. These findings offer insights into best practices for optimizing MLP in predictive modeling. The combination of SMOTE and advanced hyperparameter tuning techniques is applicable to various domains requiring accurate predictive analytics, such as finance, healthcare, and marketing. Future research can explore alternative optimization algorithms and data augmentation techniques to further enhance model robustness and accuracy.

Multi-Process Data Mining with Clustering and Support Vector Machine for Corporate Recruitment

Ruri Hartika Zain, Randy Permana, Sarjon Defit

<https://doi.org/10.29207/resti.v9i2.6197>

276-282

Abstract:

Having an efficient and accurate recruitment process is very important for a company to attract candidates with professionalism, a high level of loyalty, and motivation. However, the current selection method often faces problems due to the subjectivity of assessing prospective employees and the long process of deciding on the best candidate. Therefore, this research aims to optimize the recruitment process by applying data mining techniques to improve efficiency and accuracy in candidate selection. The method used in this research utilizes a multi-process Data Mining approach, which is a combination of clustering and classification algorithms sequentially. In the initial stage, the K-Means algorithm is applied to cluster candidates based on administrative selection data, such as document completeness and reference support. Next, a classification model was built using a Support Vector Machine (SVM) to categorize the best candidates based on the results of psychological tests, medical tests, and interviews. The experimental results show that the SVM model produces high evaluation scores, with an AUC of 87%, Classification Accuracy (CA) of 90%, F1-score of 89%, Precision of 91%, and Recall of 90%. With these results, it can be concluded that this model is able to improve accuracy in the employee selection process and help companies make more measurable and data-based recruitment decisions.

Word2Vec Approaches in Classifying Schizophrenia Through Speech Pattern

Putri Alysia Azis, Tenriola Andi, Dewi Fatmarani Suriyanto, Nur Azizah Eka Budiarti, Andi Akram Nur Risal, Zulhajji Zulhajji

<https://doi.org/10.29207/resti.v8i6.5871>

283-295

Abstract:

Schizophrenia is a chronic brain disorder characterized by symptoms such as delusions, hallucinations, and disorganized speech, posing significant challenges for accurate diagnosis. This research investigates an innovative Natural Language Processing (NLP) framework for classifying the speech patterns of schizophrenia patients using Word2Vec, with the aim of determining whether there are significant differences between the two features. The dataset comprises speech transcriptions from 121 schizophrenia patients and 121 non-schizophrenia participants collected through structured interviews. This study compares two Word2Vec architectures, Continuous Bag-of-Words (CBOW) and Skip-Gram (SG), to determine their effectiveness in classifying schizophrenia speech patterns. The results indicate that the SG architecture, with hyperparameter tuning, produces more detailed word representations, particularly for low-frequency words. This approach yields more accurate classification results, achieving an F1-score of 93.81%. These results emphasize the effectiveness of the framework in handling structured and abstract linguistic patterns. By utilizing the advantages of both static and contextual embedding, this approach offers significant potential for clinical applications, providing a reliable tool for improving schizophrenia diagnosis through automated speech analysis.

Deep learning with Bayesian Hyperparameter Optimization for Precise Electrocardiogram Signals Delineation

Annisa Darmawahyuni, Winda Kurnia Sari, Nurul Afifah, Siti Nurmaini, Jordan Marcelino, Rendy Isdwanta

<https://doi.org/10.29207/resti.v9i2.6171>

297-302

Abstract:

Electrocardiography (ECG) serves as an essential risk-stratification tool to observe further treatment for cardiac abnormalities. The cardiac abnormalities are indicated by the intervals and amplitude locations in the ECG waveform. ECG delineation plays a crucial role in identifying the critical points necessary for observing cardiac abnormalities based on the characteristics and features of the waveform. In this study, we propose a deep learning approach combined with Bayesian Hyperparameter Optimization (BHO) for hyperparameter tuning to delineate the ECG signal. BHO is an optimization method utilized to determine the optimal values of an objective function. BHO allows for efficient and faster parameter search compared to conventional tuning methods, such as grid search. This method focuses on the most promising search areas in the parameter space, iteratively builds a probability model of the objective function, and then uses that model to select new points to test. The used hyperparameters of BHO contain learning rate, batch size, epoch, and total of long short-term memory layers. The study resulted in the development of 40 models, with the best model achieving a 99.285 accuracy, 94.5% sensitivity, 99.6% specificity, and 94.05% precision. The ECG delineation-based deep learning with BHO shows its excellence for localization and position of the onset, peak, and offset of ECG waveforms. The proposed model can be applied in medical applications for ECG delineation.

Customer Satisfaction Evaluation in Online Food Delivery Services: A Systematic Literature Review

Adimas Fiqri Ramdhansya, Shella Maria Vernanda, Indra Budi, Prabu Kresna Putra, Aris Budi Santoso

<https://doi.org/10.29207/resti.v9i2.6205>

303-313

Abstract:

The rapid growth of online food delivery services has heightened the need for effective customer satisfaction measurement. This systematic literature review examines 476 papers, selecting 15 key studies to identify prevailing evaluation approaches. Findings reveal that sentiment analysis and PLS-SEM are the most frequently used analytical methods, each appearing in six studies. Satisfaction measurement relies on sentiment polarity scores in five studies and SERVQUAL frameworks in three studies. Data collection primarily involves surveys in seven studies and user-generated content in six studies, but limited demographic diversity reduces generalizability. Three key future research directions emerge. Advanced analytical techniques appear in 5 of 11 future works in the analysis methods domain. Expanding evaluation metrics is mentioned in 6 of 12 proposals in the evaluation domain. Exploring demographic context is highlighted in 10 of 25 recommendations in the dataset's domain, with dataset development receiving twice the attention of methodological advancements. These results provide researchers with a structured framework for customer satisfaction evaluation while guiding food delivery platforms in refining service quality. By systematically mapping current methodologies and future priorities, this study bridges gaps between academia and industry, ensuring more effective customer satisfaction assessments.

Measuring Factors of Trust in the Use of E-Government: A Multi-Factor Analysis of the E-Government in Indonesia

Iqbal Caraka Altino, Reska Nugroho Sudarto, Dana Indra Sensuse, Sofian Lusa, Prasetyo Adi Wibowo Putro,

Sofiyanti Indriasar, Bramanti Brillianto

<https://doi.org/10.29207/resti.v9i2.6016>

314-326

Abstract:

The implementation of dynamic records management applications within the Indonesian government remains relatively limited, with a lack of comprehensive integration between authorised institutions at both the central and regional levels. This research examines the impact of technical aspects, government agency variables, citizen variables, and risk indicators on trust in e-government. Furthermore, this study seeks to establish the effect of social factors and the advantages of trust in e-government. Finally, this research shows how trust in e-government influences satisfaction, willingness to use, and acceptance of e-government. The study examined 117 respondents using the integrated dynamic archival information system - SRIKANDI. Technical and risk factors were found to positively influence trust in e-government, with effects on satisfaction, intention to use, and adoption of e-government. Those who trusted SRIKANDI were more likely to utilize and implement the program. The findings indicate that for civil servants, trust in the government is also a factor influencing the utilisation of e-government services.

Sentiment Analysis of ChatGPT on Indonesian Text using Hybrid CNN and Bi-LSTM

Vincentius Riandaru Prasetyo, Mohammad Farid Naufal, Kevin Wijaya

<https://doi.org/10.29207/resti.v9i2.6334>

327-333

Abstract:

This study explores sentiment analysis on Indonesian text using a hybrid deep learning approach that combines Convolutional Neural Networks (CNN) and Bidirectional Long Short-Term Memory (Bi-LSTM). Due to the complex linguistic structure of the Indonesian language, sentiment classification remains challenging, necessitating advanced methods to capture both local patterns and sequential dependencies. The primary objective of this research is to improve sentiment classification accuracy by leveraging a hybrid model that integrates CNN for feature extraction and Bi-LSTM for contextual understanding. The dataset consists of 800 manually labeled samples collected from social media platforms, preprocessed using case folding, stop word removal, and lemmatization. Word embeddings are generated using the Word2Vec CBOW model, and the classification model is trained using a hybrid architecture. The best performance was achieved with 32 Bi-LSTM units, a dropout rate 0.5, and L2 regularization, which was evaluated using Stratified K-Fold cross-validation. Experimental results demonstrate that the hybrid model outperforms conventional deep learning approaches, achieving 95.24% accuracy, 95.09% precision, 95.15% recall, and 95.99% F1 score. These findings highlight the effectiveness of hybrid architectures in sentiment analysis for low-resource languages. Future work may explore larger datasets or transfer learning to enhance generalizability.

Implementation of Generative Language Models (GLM) in Cyber Exercise Secure Coding using Prompt Engineering

Jackson Sidabutar, Alfido Osdie

<https://doi.org/10.29207/resti.v9i2.6012>

334-342

Abstract:

With the advancement of technology, the need for secure software is becoming increasingly urgent due to the rise in vulnerabilities in applications. In 2022, the National Cyber and Encryption Agency (BSSN) recorded 2,348 cases of web defacement, with one of the main causes being the lack of attention to secure coding practices during software development. This study explores the utilization of Generative Language Models (GLMs), such as ChatGPT, in secure coding training to enhance developers' skills. GLMs were implemented in a cybersecurity platform designed specifically for secure coding training, also serving as learning assistants that users can interact with during the cyber exercise. The study results show that the cyber exercise using GLMs significantly improved users' secure coding skills, as evidenced by comparing pre-test and post-test scores, indicating an increase in knowledge and proficiency in secure coding practices.

Large Language Model-Based Extraction of Logic Rules from Technical Standards for Automatic Compliance Checking

Rizky Nugroho, Adila Krisnadhi, Ari Saptawijaya

<https://doi.org/10.29207/resti.v9i2.6285>

343-356

Abstract:

In this research, we design logic rules as a representation of technical standards documents related to ship design, which will be used in automatic compliance checking. We present a novel design of logic rules based on a general pattern of technical standards' clauses that can be produced automatically from text using a large language model (LLM). We also present a method to extract said logic rules from text. First, we design data structures to represent the technical standards and logic rules used to process the data. Second, the representation of technical standards is produced manually and tested to ensure that it can give the same conclusion as human judgment regarding compliance. Third, a

variation of prompting methods, namely pipeline method and few-shot prompting, is given to LLM to instruct it to extract logic rules from text following the design. Evaluation against the logic rules produced shows that the pipeline method gives an accuracy score of 0.57, a precision of 0.49, and a recall of 0.62. On the other hand, logic rules extracted using few-shot prompting have an accuracy score of 0.33, precision of 0.43, and recall of 0.5. These results show that LLM is able to extract a logic rule representation of technical standards. Furthermore, the representation resulting from the prompting technique that utilizes the pipeline method has a better performance compared to the representation resulting from few-shot prompting.

Enhancing Problem-Solving Reliability with Expert Systems and Krulik-Rudnick Indicators

Lita Sari, Jufriadif Ma'am, Addini Yusmar, Khairiyah Khadijah, Sri Wahyuni, Naufal Ibnu Salam

<https://doi.org/10.29207/resti.v9i2.6333>

357-363

Abstract:

Problem-solving is one of the skills needed in the 21st century, but there is a significant gap between the ideal conditions and the reality of students' problem-solving skills. One method that can improve students' problem-solving skills is Krulik and Rudnick, but implementing this method with an expert system to improve problem-solving skills is still limited. This research aims to build an expert system to determine the level of problem-solving using Krulik and Rudnick's problem-solving indicators processed using the forward chaining and certainty factor algorithms. The study had five stages: data analysis, rule generation, certainty measurement, prediction, and testing. The data was processed by developing 5 Krulik and Rudnick problem-solving indicators into 35 statements. Each statement was categorized using Forward Chaining by producing three rules: low, medium, and high. The problem-solving level obtained is calculated using the Certainty Factor for a confidence value. The system's prediction results were evaluated using a confusion matrix, resulting in an accuracy of 80%, a precision of 92%, and a recall of 85%, indicating the system's reliable performance in measuring the level of problem-solving. This research can be used as a reference to support problem-solving in various more advanced educational and professional environments.

Strategic Approach to Enhance Information Security Awareness at ABC Agency

Fandy Husaenul Hakim, Muhammad Hafizhuddin Hilman, Setiadi Yazid

<https://doi.org/10.29207/resti.v9i2.6333>

364-373

Abstract:

Information security awareness (ISA) is crucial to an organization's cybersecurity strategy, particularly since employees are often the last defense against cyberattacks. Despite regular communication on cybersecurity threats, the ABC Agency has not evaluated the level of ISA among its employees, leaving a gap in understanding the effectiveness of its awareness programs. This is critical, as the agency handles highly confidential data that could be at risk of accidental or intentional leaks. The Kruger Approach and the Human Aspect of Information Security Questionnaire (HAIS-Q) were used in this study to measure the ISA levels of employees at the ABC Agency. We employed the Analytic Hierarchy Process (AHP) method to analyze data collected from 86 respondents. The findings indicate that ABC Agency employees demonstrate satisfactory ISA overall. However, the "Internet Use" dimension received a medium rating, underscoring the necessity for focused enhancements in this domain. These results underscore the importance of tailoring information security awareness programs to address specific weaknesses. We provide strategic recommendations to enhance the agency's cybersecurity posture. Furthermore, this study opens avenues for future research on ISA measurement across various public and private organizations.

Securing Electronic Medical Documents Using AES and LZMA

Toto Raharjo, Yudi Prayudi

<https://doi.org/10.29207/resti.v9i2.6260>

374-384

Abstract:

With increasing threats in cyberspace, maintaining the integrity of electronic medical data is crucial. This study aims to develop a method that integrates encryption using Advanced Encryption Standard (AES) and compression with the Lempel-Ziv-Markov Algorithm (LZMA) to protect DICOM files containing sensitive information. This method is designed to address two main challenges: the growth of file sizes after the encryption process and the efficiency in data storage. In this study, an experimental design with random sampling was applied, testing 427 DICOM files from open libraries ranging in size from 513.06 KB to 513.39 KB to evaluate the implementation of this method in reducing file size, encryption time, and maintaining data integrity. The results show that this method is able to reduce file size by between 40-50% with an average encryption time of about 0.2-0.3 seconds per file. In addition, the data remains intact before and after the encryption process, which indicates that the integrity of the data is well maintained. Further analysis revealed that CPU usage during the encryption process reached 94.05%, while memory usage was recorded at 92.95 KB. In contrast, in the decryption process, CPU usage decreased to 78.16% with a much lower memory consumption, which was 31.07 KB. The findings have significant implications for medical information systems, allowing developers to easily implement these methods through APIs. This research is expected to be a reference for future studies that focus on data security in health information systems and provide new insights into the combination of encryption and compression in the context of medical data.

Enhanced Heart Disease Diagnosis Using Machine Learning Algorithms: A Comparison of Feature Selection

Hirmayanti, Ema Utami

<https://doi.org/10.29207/resti.v9i2.6175>

385-392

Abstract:

Heart disease or cardiovascular disease is one of the leading causes of death in the world. Based on WHO data, in 2019, as many as 17.9 million people died from cardiovascular disease. If early prevention is not carried out immediately, of course, the victims will increase every year. Therefore, with the increasingly rapid development of technology, especially in the health sector, it is hoped that it can help medical personnel in treating patients suffering from various diseases, especially heart disease. So in this study, it will be more focused on the selection of relevant features or attributes to increase the accuracy value of the Machine Learning algorithm. The algorithms used include Random Forest and SVM. Meanwhile, for feature selection, several feature selection techniques are used, including information gain (IG), Chi-square (Chi2) and correlation feature selection (CFS). The use of these three techniques aims to obtain the main features so that they can minimize irrelevant features that can slow down the machine process. Based on the results of the experiment with a comparison of 70:30, it shows that CFS-SVM is superior by using nine features, which obtain the highest accuracy of 92.19%, while CFS-RF obtains the best value with eight features of 91.88%. By using feature selection and hyperparameter techniques, SVM obtained an increase of 10.88%, and RF obtained an increase of

9.47%. Based on the performance of the model using the selected relevant features, it shows that the proposed CFS-SVM shows good and efficient performance in diagnosing heart disease.

Improving Government Helpdesk Service With an AI-Powered Chatbot Built on the Rasa Framework

Wirat Moko Hadi Sasmita, Surya Sumpeno, Reza Fuad Rachmadi

<https://doi.org/10.29207/resti.v9i2.6293>

393-403

Abstract:

Helpdesk services are an important component in supporting Information Technology (IT) services. The helpdesk operates as the initial interface for managing and resolving concerns. Helpdesk helps user to get solutions when facing problems while using an IT service. This research focuses on the impact of artificial intelligence (AI)-powered chatbots on the performance of the initial response of government helpdesk services. The chatbot is designed to improve service performance by quickly identifying and classifying reported issues and automatically responding to messages, enabling faster responses. The research proposed a new System Design of a helpdesk system with an AI-based chatbot. The data used comes from Telegram group chat logs, exported in JSON format. We find that the Rasa NLU model with DIET Classifier successfully achieved an accuracy rate of 0.825 in classifying intents, with the precision value of 0.838, recall of 0.829, and F1 score of 0.821 using a Rasa model with cross-validation, where folds is 5 in evaluation. And initial response time was highly improved after using chatbot artificial intelligence from more than 3 hours on the telegram group helpdesk based to an average of 2.15 seconds. These research results suggest AI-Chatbot-based ability to assist the helpdesk team in handling user queries and reports, and improving initial time response.

Efficient Hybrid Network with Prompt Learning for Multi-Degradation Image Restoration

Muhammad Yusuf Kardawi, Laksmi Rahadiani

<https://doi.org/10.29207/resti.v9i2.6381>

404-415

Abstract:

Image restoration aims to repair degraded images. Traditional image restoration methods have limited generalization capabilities due to the difficulty in dealing with different types and levels of degradation. On the other hand, contemporary research has focused on multi-degradation image restoration by developing unified networks capable of handling various types of degradation. One promising approach is using prompts to provide additional information on the type of input images and the extent of degradation. Nonetheless, all-in-one image restoration requires a high computational cost, making it challenging to implement on resource-constrained devices. This research proposes a multi-degradation image restoration model based on PromptIR with lower computational cost and complexity. The proposed model is trained and tested on various datasets yet it is still practical for deraining, dehazing, and denoising tasks. By unification convolution, transformer, and dynamic prompt operations, the proposed model successfully reduces FLOPs by 32.07% and the number of parameters by 27.87%, with a comparable restoration result and an SSIM of 34.15 compared to 34.33 achieved by the original architecture for the denoising task.

Combining the Cellular Automata and Marching Square to Generate Maps

Viore, Wirawan Istiono

<https://doi.org/10.29207/resti.v9i2.6241>

416-424

Abstract:

As computer technology advances, one of the entertainment media that has emerged is video games. The development of a video game is becoming more expensive and labor-intensive as technology itself continues to grow. One of the characteristics of a game as an entertainment medium is its replay value, which refers to the fact that the subject matter can be played more than once. Automating content through the use of procedural content generation is done with the goal of lowering expenses and reducing the amount of labour that is required. This research has two goals: designing and developing a Maze Game using the Procedural Content Generation method with the Cellular Automata and Marching Square algorithms, and determining the level of player satisfaction with the games developed using the Game User Experience Satisfaction Scale (GUESS) method. This research will utilize Cellular Automata and the Marching Square algorithm as a method for generating 3D game shapes through Procedural Content Generation. After the game has been developed, it will be performed by players, and the Game User Experience Satisfaction Scale will be used to measure the user experience. The result for overall satisfaction, based on the responses of 25 respondents, is 83.14%. Cellular Automata was effectively implemented to generate the map, while Marching Square was used to generate the 3D mesh, albeit with isolated rooms and graphical errors.

Classification Model for Bot-IoT Attack Detection Using Correlation and Analysis of Variance

Firgiawan Faira, Dandy Pramana Hostiadi

<https://doi.org/10.29207/resti.v9i2.6332>

425-434

Abstract:

Industry 4.0 requires secure networks as the advancements in IoT and AI exacerbate the challenges and vulnerabilities in data security. This research focuses on detecting Bot-IoT activity using the Bot-IoT UNSW Canberra 2018 dataset. The dataset initially showed a significant imbalance, with 2,934,447 entries of attack activity and only 370 entries of normal activity. To address this imbalance, an innovative data aggregation technique was applied, effectively reducing similar patterns and trends. This approach resulted in a balanced dataset consisting of 8 attack activity points and 80 normal activity points. Feature selection using the ANOVA method identified 10 key features from a total of 17: seq, stddev, N_IN_Conn_P_SrcIP, min, state_number, mean, N_IN_Conn_P_DstIP, drate, srate, and max. The classification process utilized Random Forest, k-NN, Naïve Bayes, and Decision Tree algorithms, with 100 iterations and an 80:20 training-testing split. Random Forest showed superior performance, achieving 97.5% accuracy, 97.4% precision, and 97.4% recall, with a total computation time of 11.54 seconds. Pearson correlation analysis revealed a strong positive correlation (+0.937) between N_IN_Conn_P_DstIP and seq, as well as a weak negative correlation (-0.224) between N_IN_Conn_P_SrcIP and state_number. The novelty of this research lies in the application of a data aggregation technique to address class imbalance, significantly improving machine learning model performance and optimizing training time. These findings contribute to the development of robust cybersecurity systems to effectively detect IoT-related threats.

Diversity Authors

Word Cloud from Keywords